

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(data same buffer same controller same (block with size) same (pad\$5 near data)) and @ad<"20030131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:22
L2	0	(data same buffer same controller same (block with size) same (pad\$5 near data)) and @ad<"20030131" and ((remov\$4 or elimina\$6) with pad\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:22
L3	1	(data same buffer same controller same (block with size) same (pad\$5 near data)) and @ad<"20030131" and ((remov\$4 or elimin\$6 or discar\$6 or tak\$5 or out\$5) with pad\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:23
L4	0	((remov\$4) near5 pad\$4) with buffer with controller with interfac\$4) and @ad<"20030131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:23
L5	2	((remov\$4) near5 pad\$4) with buffer with interfac\$4) and @ad<"20030131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:24
L6	35	((buffer with control\$5) same (buffer with memory) same (data) same (pad\$5 near3 data) same (block or size)) and @ad<"20030131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:26
L7	2	((buffer with control\$5) same (buffer with memory) same (data) same (pad\$5 near3 data) same (block or size)) and @ad<"20030131" and (710/52.ccls. or 710/54.ccls. or 709/234.ccls. or 711/118.ccls. or 326/56.ccls. or 710/60.ccls. or 710/20.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:25
L8	36	((buffer with control\$5) and (buffer with memory) and (data) and (pad\$5 near3 data) and (block or size)) and @ad<"20030131" and (710/52.ccls. or 710/54.ccls. or 709/234.ccls. or 711/118.ccls. or 326/56.ccls. or 710/60.ccls. or 710/20.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:27

L9	1	((buffer with control\$5) and (buffer with memory) and (data) and (pad\$5 near3 data) and (block or size)).clm. and @ad<"20030131" and (710/52.ccls. or 710/54.ccls. or 709/234.ccls. or 711/118.ccls. or 326/56.ccls. or 710/60.ccls. or 710/20.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:26
L10	9	((buffer with control\$5) and (buffer with memory) and (data) and (pad\$5 near3 data) and (block or size)) and @ad<"20030131" and (710/52.ccls. or 710/54.ccls. or 709/234.ccls. or 711/118.ccls. or 326/56.ccls. or 710/60.ccls. or 710/20.ccls.) and ((real adj time) or real-time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:27
L11	8	((buffer with control\$5) same (buffer with memory) same (data) same (pad\$5 near3 data) same (block or size)) and @ad<"20030131" and ((real adj time) or real-time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:26
L12	1	((buffer with control\$5) and (buffer with memory) and (data) and (pad\$5 near3 data) and (block or size)) and @ad<"20030131" and (710/52.ccls. or 710/54.ccls. or 709/234.ccls. or 711/118.ccls. or 326/56.ccls. or 710/60.ccls. or 710/20.ccls.) and ((real adj time) or real-time).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:27
L13	2	((buffer with control\$5) and (buffer with memory) and (data) and (pad\$5 near3 data) and (block or size)) and @ad<"20030131" and (710/52.ccls. or 710/54.ccls. or 709/234.ccls. or 711/118.ccls. or 326/56.ccls. or 710/60.ccls. or 710/20.ccls.) and (mod)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:28
L14	2	((buffer with control\$5) and (buffer with memory) and (data) and (pad\$5 near3 data) and (block or size)) and @ad<"20030131" and (710/52.ccls. or 710/54.ccls. or 709/234.ccls. or 711/118.ccls. or 326/56.ccls. or 710/60.ccls. or 710/20.ccls.) and (mod) and align\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:29

L15	2	((buffer with control\$5) and (buffer with memory) and (data) and (pad\$5 near3 data) and (block or size)) and @ad<"20030131" and (710/52.ccls. or 710/54.ccls. or 709/234.ccls. or 711/118.ccls. or 326/56.ccls. or 710/60.ccls. or 710/20.ccls.) and (mod) and align\$6 and fifo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:29
L16	0	((buffer with control\$5) and (buffer with memory) and (data) and (pad\$5 near3 data) and (block or size)) and @ad<"20030131" and (710/52.ccls. or 710/54.ccls. or 709/234.ccls. or 711/118.ccls. or 326/56.ccls. or 710/60.ccls. or 710/20.ccls.) and (mod and align\$6 and fifo).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:29
L17	0	((buffer with control\$5) and (buffer with memory) and (data) and (pad\$5 near3 data) and (block or size)) and @ad<"20030131" and ("710"/\$.ccls.) and (mod and align\$6 and fifo).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:30
L18	0	((buffer with control\$5) and (buffer) and (data) and (pad\$5 with data) and (block or size)) and @ad<"20030131" and ("710"/\$.ccls.) and (mod and align\$6 and fifo).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:30
L19	0	((buffer with control\$5) and (buffer) and (data) and (pad\$5 with data) and (block or size)) and @ad<"20030131" and (mod and align\$6 and fifo).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 11:30